







Q

THE UNIVERSITY OF CHICAGO

LIBRARY OF THE UNIVERSITY OF CHICAGO

A 6 2 0 2 2 6 P



- NOTES:**
1. STRUCTURAL STEEL DESIGN AND ERECTION OF STEEL TO BE IN ACCORDANCE WITH AISC SPECIFICATION.
 2. STEEL SPECIFICATION:
TUBE - ASTM - A-501-66
PLATES - ASTM - A-36-63T
ANGLE - ASTM - A-36-63T
ANCHOR BOLTS - ASTM - A-36-63T
 3. ALL SCREWS PER ASA B1-1-1960, COARSE THREAD SERIES, 2-A THREAD CLASS, CADMIUM PLATED OR EQUAL.
 4. WELDING STEEL - WELDED BY ELECTRIC ARC WITH ASTM A-233 CLASS E-70 ELECTRODES. SIZE OF WELD DETERMINED BY STRESS ANALYSIS.
 5. MINIMUM SOIL BEARING PRESSURE = 3000 PSF.
 6. DESIGN WIND LOAD - 30 PSF.
 7. CONCRETE SHALL DEVELOP A MINIMUM COMPRESSIVE STRENGTH OF 3000 PSI.
 8. PAINT NOTES:
STRUCTURE STEEL COLUMNS
PRIMER ONE 2 MIL COAT PITTSBURGH SPEEDHIDE RED LEAD PRIMER 6-201 OR GLIDDEN QUICK DRY RED OXIDE PRIMER #4570.
FINISH - ONE COAT
PITTSBURGH FOCAL GRAY SEMI-GLOSS #2382 OR GLIDDEN CHARCOAL BLACK RUST MASTER TANK STRUCTURE ENAMEL #5223.

REF DWGS:
 8" - 3 MODULE D.F. SIGN E-1238
 MAINTENANCE INST. C-748
 4'-6" PENTASTAR SIGN C-708
 STATIONARY ADAPTER C-735
 ROTATOR FOR 4'-6" PENTASTAR C-734
 WIRING DIAGRAM FOR TIMER A-706
 MAT'L SPECS.
 STEEL PER ASTM A-36
 ANCHOR BOLTS PER ASTM - A-307-63T

PLASTI-LINE, INC.			
KNOXVILLE, TENNESSEE			
REV.	DESCRIPTION	DATE	BY
1	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
2	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
3	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
4	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
5	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
6	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
7	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
8	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
9	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
10	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
11	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
12	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
13	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
14	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
15	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
16	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
17	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
18	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
19	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
20	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
21	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
22	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
23	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
24	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
25	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
26	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
27	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
28	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
29	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
30	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
31	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
32	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
33	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
34	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
35	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
36	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
37	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
38	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
39	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
40	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
41	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
42	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
43	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
44	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
45	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
46	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
47	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
48	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
49	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
50	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
51	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
52	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
53	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
54	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
55	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
56	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
57	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
58	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
59	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
60	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
61	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
62	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
63	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
64	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
65	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
66	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
67	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
68	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
69	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
70	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
71	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
72	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
73	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
74	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
75	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
76	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
77	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
78	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
79	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
80	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
81	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
82	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
83	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
84	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
85	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
86	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
87	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
88	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
89	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
90	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
91	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
92	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
93	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
94	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
95	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
96	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
97	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
98	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
99	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES
100	ADDED SCREW DETAIL FOR NUTS & WASHERS	11-17-63	JES



City of Cambridge

IN CITY COUNCIL
September 13, 1976

ORDERED:

That, in accordance with the provisions of an ordinance relative to placing and maintaining signs, the Commissioner of Public Works be and hereby is authorized to grant a permit to Ken-Bon Display Service for the erection of a ~~sign~~ freestanding sign at 133 Alewife Brook Parkway, Cambridge.

Provided that, before erecting the above named sign, the petitioner shall obtain a permit from the Building Department and file with the City Clerk a satisfactory bond in the sum of Five Thousand Dollars (\$5,000) conditioned to save harmless the City of Cambridge from all claims for damages arising from the construction, maintenance and use of said sign.

Subject to the condition that the petitioner's sign be limited to a total height of fifteen (15) feet, which would be in keeping with the new draft of the proposed sign ordinance.

In City Council September 13, 1976.
Adopted by the affirmative vote of 8 members.
Attest:- Paul E. Healy, City Clerk.

A true copy,

ATTEST:-

Paul E. Healy

9/30/76 Sign already erected by *Ken-Bon Display Service*
and Bond filed *Plymouth*
According to the *133 Alewife Parkway*
rehearing -



PENTA-STAR
or NON-ROTATING

STATIONARY ADAPTER
PAINTED GLIDDEN
GRAY #4522


MODULE UNIT
4'-1'-0"

1/4" X 1" L X 1/2" 2-REQ'D
DRILL & TAP ANGLES & TUBING
FOR 16-24 MACH SCW. TO
HOLD END COVER ON.

9 GA. END COVER
2-REQ'D
TYP. 8
3" Ø HOLE
ELEC. OUTLET

8" SQ TUBING WITH
3/8" WALL
1/8" X 1/4" MACH. BOLT, W/ 1/2" WASH (TO BE PUR)


SECTION A
3'-1"



NOTE:
THE INBOARD END OF THE SIGN SHALL
BE FLUSH TO BEAM EXCEPT WHEN
INCREASED VISIBILITY TO THE SIGN
WOULD BE OBTAINED BY PROTECTING
IT 12" OFF THE BEAM. ADJUSTABLE
BOOT ADAPTER, PAINT ADAPTER
CHARCOAL #5223 GLIDDEN

8" SQ TUBING 1/8" WALL
A-36-G3T

HAND HOLE
COVER



CONDUIT
TO CIRCUIT
AS PROVIDED
BY DEALER
ON SITE

1/4" X 3" X 3" L X 1/4" 2-REQ'D

3" Ø HOLE
ELEC. OUTLET
1-REQ'D


COL. TO R.

1/8" Ø

1 7/8" Ø HOLE
4-REQ'D

3"

SEC.



ANCHOR BOLT
SCALL ABOVE
4 PER UNIT 1/4" ANCHOR

RECEIVED BY
OFFICE OF CITY CLERK

Cambridge,

5/27 1976

JUN 2 4 04 PM '76

To the Honorable, the City CAMBRIDGE, MASS.
of the City of Cambridge:PRIOR TO APPROVAL OF THE CITY COUNCIL, EACH PETITION MUST BE ACCOMPANIED BY
A DRAWING OF PROPOSED SIGN, INDICATING DESIGN AND DIMENSIONS AND LOCATION
ON PREMISES.

The undersigned respectfully prays

that KEN-BON DISPLAY SERVICE be granted permit to erect a sign of the
 following specifications in front of premises 133 ALENIFE BROOK PKWY, CAMBRIDGE
 Type: FREE STANDING, DOUBLE FACE, ELECTRIC (STEEL WITH PLASTIC FACES)
 (State whether Electric or otherwise and material used in construction)

Reading matter to go on sign:.....

CAMBRIDGE CHRYSLER - PLYMOUTHSize: 8' x 10' plus 4'6" PENTAGON ON TOP - 1 24' HIGHWeight: 400#

How Directed: A: X B: NO SIDEWALK - 14' ABOVE PARKING LOT
 (A: Give exact distance sign is to extend from building over sidewalk.
 B: Also exact distance from bottom of sign to sidewalk.)

Height Above Grade: Bottom 14' Top 24'

Jerry Bon
 (Signature of Applicant)
KEN-BON DISPLAY SERVICE
1 JERRY ST., FITCHBURG, MA. 01420
 (Address)

NOTICE - REGULATIONS

SEC. 3608. BUILDING CODE. . PROJECTING SIGNS

1. A projecting sign shall be constructed wholly of incombustible materials, with a metal frame and supports;

2. All signs must meet requirements of Zoning Ordinances and Building Code.

Approved 6-1-76 J. Conway

7. LAL #6

PETITION

of Ken-Bon Display Service
for sign
No. 133 Alewife Brook Parkway

June 7 1976

6/7/76

Traded-
6/14/76

Referred to Committee
on Public Service
Companion City
Lawrence, Ronica, Clinton

and City
In City Council, June 7, 1976

7/13/76
Referred to the Committee on Planning
and 5 Feet High

Attest: MTW [Signature]
City Clerk.

Free Standing sign

Order Repealed

9/13/76-

RECEIVED BY
OFFICE OF CITY CLERK

Cambridge,

5/27 1976

JUN 2 4 04 PM

To the Honorable, the City CAMBRIDGE, MASS.
of the City of Cambridge:PRIOR TO APPROVAL OF THE CITY COUNCIL, EACH PETITION MUST BE ACCOMPANIED BY
A DRAWING OF PROPOSED SIGN, INDICATING DESIGN AND DIMENSIONS AND LOCATION
ON PREMISES.

The undersigned respectfully prays

that KEN-BON DISPLAY SERVICE be granted permit to erect a sign of thefollowing specifications in front of premises 133 ALENIFE BROOK PKWY, CAMBRIDGEType: FREE STANDING, DOUBLE FACE ELECTRIC (STEEL WITH PLASTIC FACES)
(State whether Electric or otherwise and material used in construction)

Reading matter to go on sign:

CAMBRIDGE CHRYSLER - PLYMOUTHSize: 8' x 10' plus 4'6" PENTAGON ON TOP - 15' 24" HIGHWeight: 400 #How Erected: A: ☒B: ☐ NO SIDEWALK - 14' ABOVE PARKING LOT(A: Give exact distance sign is to extend from building over sidewalk.
B: Also exact distance from bottom of sign to sidewalk.)Height Above Grade: Bottom 14'Top 24'

(Signature of Applicant)

KEN-BON DISPLAY SERVICE1 JERRY ST., FITCHBURG, MA. 01420
(Address)

NOTICE . REGULATIONS

SEC. 3608. BUILDING CODE. . PROJECTING SIGNS

1. A projecting sign shall be constructed wholly of incombustible materials, with a metal frame and supports;

2. All signs must meet requirements of Zoning Ordinances and Building Code.

Approved 6-1-76 J. Emery

Petition of Ken-Bon Display Service for a free standing sign at the premises numbered 133 Alewife Brook Parkway. The Community Development staff recommends that the petitioner's sign be limited to a total height of fifteen (15) feet, which would be in keeping with the new draft of the proposed sign ordinance.

In City Council,

September 13, 1976

MU
A