



City of Cambridge

62.

IN CITY COUNCIL

March 16, 1998

COUNCILLOR REEVES

ORDERED: That the City Manager be and hereby is requested to provide the City Council with information as to the public health impact of the Polaroid project in connection with the contamination of soil or any other relevant issues; and be it further

ORDERED: That the City Manager is requested to provide information to the City Council about the water table level and its effect on the garage design.

In City Council March 16, 1998.

Adopted by the affirmative vote of nine members.

Attest:- D. Margaret Drury, City Clerk.

A true copy;

ATTEST:-

A handwritten signature in cursive script that reads "D. Margaret Drury".

D. Margaret Drury
City Clerk

KR

(62)

CM & h.b. is requested to provide the C-C with
~~KR would like to see~~ more info on the
public health impact of the ~~prop~~ proposed
project ^{in connection with} from the contamination of oil or any
other ^{relevant} issues; and be it further

~~KR~~

CTM

to the CC

Ordered: That the CM is requested to
provide information about the water
table level & whether that affected the
garage design

W/9



City of Cambridge

62.

IN CITY COUNCIL

March 16, 1998

COUNCILLOR REEVES

ORDERED: That the City Manager be and hereby is requested to provide the City Council with information as to the public health impact of the Polaroid project in connection with the contamination of soil or any other relevant issues; and be it further

ORDERED: That the City Manager is requested to provide information to the City Council about the water table level and its effect on the garage design.

Consent Order #62 CM122

Councillor Reeves re: provide information regarding the public health impact and the water table level in connection with the Polaroid project.

In City Council March 16, 1998

ORDER ADOPTED