

CITY OF CAMBRIDGE.

IN BOARD OF MAYOR AND ALDERMEN, }
June 8, 1874. }

WHEREAS, in the opinion of the Board, the public safety and convenience require that Willard Street, between Brattle and Mount Auburn Streets, should be laid out forty feet in width; and Fairmont Street, between River and Pleasant streets, thirty feet in width,—

It is therefore hereby

ORDERED, That due notice be given to the abutters on said Willard and Fairmont Streets, and all other persons interested, that this Board intends to widen and lay out the streets before mentioned, by taking a portion of their land and laying out the same as public streets; and that

MONDAY,

the 29th day of June current, at 8½

o'clock P. M.,

is assigned as the time for hearing any objections which may be made thereto.

Attest: JUSTIN A. JACOBS, City Clerk

A true copy.

Attest: JUSTIN A. JACOBS, City Clerk.

Cambridge June 20th, 1874

I this day served duplicate copies
of the within notice on the Owners, and
Occupants of Property on the within named
Willard & Fairmount Sts

B H Hunnells
Constable of Cambridge

30
Specie Assignment =

June 29, 1874-
8 1/2 P. M.

CITY OF CAMBRIDGE.

IN BOARD OF MAYOR AND ALDERMEN, }
June 8, 1874. }

WHEREAS, in the opinion of the Board, the public safety and convenience require that Willard Street, between Brattle and Mount Auburn Streets, should be laid out forty feet in width; and Fairmont Street, between River and Pleasant streets, thirty feet in width,—

It is therefore hereby

ORDERED, That due notice be given to the abutters on said Willard and Fairmont Streets, and all other persons interested, that this Board intends to widen and lay out the streets before mentioned, by taking a portion of their land and laying out the same as public streets; and that

MONDAY,

the 29th day of June current, at 8 1/2 o'clock P. M.,

is assigned as the time for hearing any objections which may be made thereto.

Attest: JUSTIN A. JACOBS, City Clerk

A true copy.

Attest: JUSTIN A. JACOBS, City Clerk.

June 29, 1874-

Re - Committee,