



MASSACHUSETTS WATER RESOURCES AUTHORITY

Charlestown Navy Yard
100 First Avenue
Boston, Massachusetts 02129
CAMBRIDGE MA.

Telephone:
(617) 242-6000

Board of Directors

James S. Hoyte, Chairman
Paul N. Anderson
John J. Carroll
Robert J. Ciolek
Lorraine M. Downey
Anthony V. Fletcher
Charles Lyons
Samuel G. Mygatt
Margaret A. Riley
Walter J. Ryan, Jr.
Jonathan Z. Souweine

Executive Director

Paul F. Levy

November 24, 1987

The Honorable Walter Sullivan
Mayor of Cambridge
City Hall
Cambridge, MA 02139

RE: Municipal Permit

Dear Mayor Sullivan:

Pursuant to 360 CMR 10.042(4), the Massachusetts Water Resources Authority (MWRA) hereby issues to the City of Cambridge a Municipal Discharge Permit. Effective from December 1, 1987 through November 30, 1988, inclusive, the permit relates to and regulates all discharges, septage disposal sites and direct connections to the MWRA's sewerage system located in your municipality. Obviously, the conditions of this permit in no way supersedes any other requirements imposed upon you by state or federal law or regulations.

I urge you and your staff to review the permit so that you will become familiar with the numerous requirements and deadlines which it imposes upon your community. Many of the permit's provisions merely reiterate, albeit in different language and often with specified timeframes for action, requirements contained in your previous permit. To the extent that the permit sets forth new substantive requirements, it is necessary to recognize that they arise as a result of administrative or judicial requirements under which the MWRA and its member communities are already independently obligated to proceed.

Accordingly, I look forward to a cooperative and productive period of activity between your community and the MWRA during the term of this permit. Nevertheless, I must clearly state that the MWRA will avail itself of its full scope of enforcement options, as stated in paragraph 14 of the permit, to ensure that its requirements are met.

RECEIVED


NOV 30 1987

Ans'd.....

Please be advised that, pursuant to 360 CMR 10.103(1), your municipality may submit to me a written request for reconsideration of any term of this permit to which it objects. The request shall be filed within ten working days from the date of this letter and should set forth in detail the facts supporting your objections. The MWRA will thereafter schedule an informal interview at which those objections will be further examined.

Do not hesitate to contact Wayne T. Grandin, Director of the Water Quality Department of the MWRA's Sewerage Division at 242-7310, extension 2206, if you or your staff has any questions regarding this permit.

Very truly yours,



Noel D. Baratta, P.E.
Director
Sewerage Division

NDB:bls
Enclosure

cc: Robert W. Healy, City Manager
Richard Rossi, Acting Director of Public Works

MASSACHUSETTS WATER RESOURCES AUTHORITY

MUNICIPAL PERMIT ISSUED TO:

City of Cambridge

In accordance with St. 1984, c. 372 (ALM Spec. L. 67) (the Enabling Act) and the Sewer Use Rules and Regulations of the Massachusetts Water Resources Authority (MWRA), promulgated at 360 CMR 10.000, the City of Cambridge (Municipality) is hereby authorized to discharge wastewater into the MWRA sewerage system subject to the following conditions and the conditions contained in the attachments hereto:

1. This permit shall be valid from December 1, 1987 until November 30, 1988, inclusive, unless otherwise either extended or sooner terminated. The Municipality shall submit to the MWRA a completed Permit Application seeking renewal of this permit no later than September 30, 1988.
2. Any discharge of wastewater from the Municipality into the MWRA sewerage system shall be in conformance with the information contained in the Municipality's current permit application, as modified by the terms of this permit.
3. The Municipality shall discharge wastewater to the MWRA system only through the connections specified in Attachment A. Pursuant to 360 CMR 10.081, it shall be the responsibility of the Municipality to submit to the MWRA for necessary approvals, on the Authority's Application Forms, applications for all new connections to the MWRA system and for any modifications to existing connections, including plans for the elimination of connections. Should the MWRA discover connections to its sewers which are not included in Attachment A, The Municipality shall be responsible for determining the source of the discharge and for undertaking actions necessary to remove or permit the connection.

(2)

4. The Municipality shall submit to the MWRA a completed Municipal Sewerage Customer Use Data Summary Form by October 30 of each year.
5. The Municipality shall submit to the MWRA the various reports required by this permit in accordance with the schedule established by Attachment B to this permit.
6. Pursuant to 360 CMR 10.051, the Municipality shall issue Sewer Use Discharge Permits jointly with the MWRA pursuant to the following procedures:
 - a. the MWRA shall review all Sewer Use Discharge Permit applications for dischargers located within the Municipality and will prepare permits based upon such reviews;
 - b. the MWRA will forward all such permits, before their issuance, to the Municipality for municipal review:
 - (1) if the Municipality concurs in the terms of the permit, an authorized representative of the Municipality shall sign the permit and return it to the MWRA within ten calendar days from the date of its being issued (as defined at 360 CMR 2.08) by the MWRA to the Municipality;
 - (2) if the Municipality does not concur in the terms of the permit, an authorized representative of the Municipality should advise the MWRA in writing of proposed amendments to the permit within ten calendar days from the date of its being issued (as defined at 360 CMR 2.08) by the MWRA to the Municipality; the MWRA and the Municipality shall attempt to resolve their differences as to the permit terms within ten calendar days thereafter, provided, however, that to the extent differences thereafter remain, the MWRA may then issue the permit in such form as it, in its sole discretion, finds to be fit and appropriate; and
 - (3) if the Municipality neither concurs in nor objects to the permit within the

(3)

aforementioned ten day period subsequent to its issuance, the MWRA may thereafter issue the permit to the Sewer User.

7. The Municipality shall control and monitor the discharge within its boundaries of septage, as defined at 360 CMR 10.004, either directly or indirectly into the MWRA sewerage system, in order to comply with the requirements of 360 CMR 10.031 through 10.033, including, but not limited to,
 - a. maintaining records of septage disposal activities within the Municipality which shall at a minimum, document the origin, content and volume of all such septage;
 - b. excluding unpermitted industrial waste;
 - c. excluding incompatible wastes; and
 - d. excluding septage from non-member communities, in accordance with the prohibition contained at 360 CMR 10.032 against the discharge of any septage which originates outside the limits of the MWRA sewerage system.

The Municipality shall allow septage disposal only at designated sites which have received all approvals required by 310 CMR 15.00. The Municipality shall continue all septage management, pretreatment and record-keeping practices recited in its current municipal permit application, as modified by this permit; no changes to any of those practices may occur without the Municipality having first notified the MWRA thereof at least thirty days prior to any such change. The Authority will review such notification and inform the Municipality whether the proposed change will require submission of an application for permit modification. If the MWRA does require the submission of an application for permit modification, the Municipality shall obtain a permit modification authorizing that change before its commencement.

In accordance with Attachment B to this permit, the Municipality shall submit to the MWRA a completed Septage Disposal Management Report (Attachment C).

8. The Municipality shall have a sewer use ordinance or by-law which is no less stringent than the MWRA Sewer Use Rules and Regulations, promulgated at 360 CMR 10.000. Copies of any proposed ordinances or by-laws or modifications to an existing ordinance or by-law shall be submitted to the MWRA for review and approval at least sixty days prior to its adoption pursuant to Section 26(d) of the Enabling Act. In accordance with Attachment B to this permit, the Municipality shall submit to the MWRA a copy of its current sewer use ordinance or by-law together with an opinion by its municipal attorney indicating the compliance of said ordinance or by-law with the requirements of MWRA.
9. The Municipality shall implement a user charge system by July 1, 1989 which conforms to EPA rules and regulations promulgated at 40 CFR part 35. The Municipality's user charge system shall incorporate policies and incentives to promote reduction of wastewater flows. Any user charge which incorporates declining block rates (i.e., decreases as the volume of water used and/or wastewater flow increases) is prohibited. In accordance with Attachment B to this permit, the Municipality shall submit to the MWRA Sewerage Division a copy of its current retail rate structure and a timetable for introduction of full cost accounting and a revenue collection system which will fully recover local systems operations, maintenance and debt service cost.
10. The Municipality shall operate and maintain its sewer system so as to eliminate all inflow and infiltration considered excessive by the MWRA or other agencies in accordance with the standards contained in 314 CMR 13.00.
11. In accordance with Attachment B to this permit, the Municipality shall submit to the MWRA Sewerage Division a status report detailing progress being made toward elimination of infiltration and inflow, including projects completed within the last three years, amounts of infiltration and inflow thereby removed, all ongoing and planned studies, plans and rehabilitation projects and their funding status, as well as ongoing and planned maintenance and inspection programs undertaken to control infiltration and inflow.

(5)

12. To the extent that combined sanitary and storm sewer overflows (CSOs) are located within the Municipality, it shall comply with the provisions of Attachment D to this permit.
13. The direct or indirect discharge of toxic or hazardous materials, including, but not limited to, pesticides, paint and paint products, hazardous household wastes and automotive products, by individuals or residential households to either the municipal or the MWRA sewerage system is prohibited. In accordance with Attachment B to this permit, the Municipality shall submit to the MWRA a proposed program for the disposal of all household hazardous waste. The Municipality shall implement said program within thirty calendar days from the date the MWRA's approval thereof is issued (as defined at 360 CMR 2.08) to the Municipality.
14. Whenever, on the basis of information available to it, the MWRA determines that the Municipality has failed to comply with any condition of this permit, the Authority may take any or all of the following actions:
 - a. issue an order to cease and desist any such noncompliance;
 - b. direct the Municipality to submit a detailed schedule, subject to such modifications as the MWRA deems necessary, setting forth actions to be taken to correct or prevent a noncompliance;
 - c. issue an implementation schedule ordering specific actions and a time schedule for their implementation so as to terminate any noncompliance;
 - d. revoke or modify this permit;
 - e. impose administrative penalties up to \$10,000 per day for each such violation and seek payment for damages to the MWRA sewerage system pursuant to 360 CMR 10.105 and 360 CMR 2.00;
 - f. bring a civil or criminal action as provided by law; or


(6)

- g. take any other action available to it under federal or state laws and regulations.

The Authority may change the conditions of this permit from time to time as circumstances, including law or regulations enacted or promulgated by the federal or state government or its agencies, may require. Such changes, as well as the terms of this permit as it now issues, may be appealed in accordance with 360 CMR 10.103.

MASSACHUSETTS WATER RESOURCES AUTHORITY

By:



Noel D. Baratta, P.E., Director
Sewerage Division

ATTACHMENT A

MUNICIPAL WASTEWATER CONNECTIONS TO MWRA SEWERAGE SYSTEM

MUNICIPAL DISCHARGE PERMIT

ISSUED TO

CAMBRIDGE, MASSACHUSETTS

The City of CAMBRIDGE is limited to discharging wastewater to the Massachusetts Water Resources Authority Sewerage System through the following connections:

| (1) | | | |
|---------|------------|-----------|---|
| Type | and Number | Diameter | Location (Section, landmark, street house number, etc.) |
| Public: | 1 (SP4) | 10" | From Normandy Terrace |
| | 2 (68) | 18" | From Acorn Park |
| | 3 (55) | 38" X 42" | Concord Ave. |
| | 4 (1) | 15" | Concord Ave. |
| | 5 (69) | 8" | Concord Ave. |
| | 6 (62) | 12" | Terminal Road |
| | 7 (51) | 18" | From Fawcett Road |
| | 8 (57) | 12" | Rindge Ave. Ext. |
| | 9 (58) | 10" | Rindge Ave. Ext. |
| | 10 (2) | 20" | From Rindge Ave. |
| | 11 (50) | 10" | From Harrison Ave. |
| | 12 (3) | 18" | Mass. Ave. at Alewife Br. Pkwy. |
| | 13 (61) | 18" | Mass. Ave. at Alewife Br. Pkwy. |
| | 14 (22) | 18" | Mass. Ave. at Alewife Br. Pkwy. |
| | 15 (17) | 15" | From Foch Street |
| | 16 (52) | 10" | From Matignon Road |
| | 17 (28) | 8" | Warren Street at Porter Street |
| | 18 (46) | 15" | Cambridge Street at Warren St. |
| | 19 (27) | 15" | Cambridge Street at Warren St. |
| | 20 (31) | 12" | Portland Street at Vandine St. |
| | 21 (8) | 48" | Portland Street at Binney St. |
| | 22 (48) | 12" | Portland Street at Binney St. |
| | 23 (20) | 20" | Portland Street at Hampshire St. |
| | 24 (38) | 15" | Portland Street at Broadway |
| | 25 (56) | 18" | Portland Street at Harvard St. |
| | 26 (29) | 16" X 32" | Portland Street at Washington St. |
| | 27 (24) | 12" | Portland Street at Washington St. |
| | 28 (36) | 8" | Portland Street at Main St. |
| | 29 (35) | 12" | Portland Street at Main St. |
| | 30 (33) | 10" | Portland Street at Main St. |

(1) Public or Special

ATTACHMENT A

| (1) | | | | |
|---------|------------|-----------|---|--|
| Type | and Number | Diameter | Location (Section, landmark, street house number, etc.) | |
| Public: | 31 (34) | 24" | Portland Street at Main St. | |
| (cont.) | 32 (70) | 24" X 30" | Portland Street at Main St. | |
| | 33 (60) | 10" | Albany Street at Osborne St. | |
| | 34 (18) | 15" | Albany Street at Mass. Ave. | |
| | 35 (71) | 15" | Albany Street at Mass. Ave. | |
| | 36 (72) | 12" | Albany Street at Mass. Ave. | |
| | 37 (19) | 24" | Albany Street at Pacific St. | |
| | 38 (73) | 15" | Albany Street at Pacific St. | |
| | 39 (21) | 18" | Albany Street at Erie St. | |
| | 40 (15) | 18" | Waverly Street at Talbot St. | |
| | 41 (40) | 12" | Waverly Street at Chestnut St. | |
| | 42 (74) | 12" | Waverly Street at Henry St. | |
| | 43 (9) | 10" | Brookline Street at Granite St. | |
| | 44 (54) | 8" | Granite St. near Rockingham St. | |
| | 45 (13) | 15" | Granite St. at Pearl St. | |
| | 46 (14) | 20" | Pleasant St. | |
| | 47 (30) | 12" | River St. near Blackstone St. | |
| | 48 (16) | 22" | Western Ave. near Blackstone St. | |
| | 49 (75) | 12" | Memorial Dr. at Hingham St. | |
| | 50 (23) | 18" X 23" | Memorial Dr. at Flagg St. | |
| | 51 (11) | 30" | Riverview at Plympton St. | |
| | 52 (10) | 12" | From Dunster St. | |
| | 53 (12) | 15" | Eliot St. at MBTA Yard | |
| | 54 (37) | 10" | Mt. Auburn St. at Eliot St. | |
| | 55 (53) | 10" | Mt. Auburn St. at University Rd. | |
| | 56 (41) | 8" | Mt. Auburn St. at Nutting Rd. | |
| | 57 (44) | 10" | Mt. Auburn St. at Brewer St. | |
| | 58 (7) | 18" | Mt. Auburn St. at Hawthorne St. | |
| | 59 (6) | 12" | Mt. Auburn St. at Willard St. | |
| | 60 (5) | 15" | Mt. Auburn St. at Sparks St. | |
| | 61 (SP2) | 12" | Mt. Auburn St. at Mt. Auburn Hospital Garage | |
| | 62 (4) | 24" | Mt. Auburn St. at Lowell St. | |
| | 63 (47) | 8" | Mt. Auburn St. at Longfellow Rd. | |
| | 64 (45) | 8" | Mt. Auburn St. at Coolidge Hill Road (East) | |
| | 65 (43) | 8" | Mt. Auburn St. at Coolidge Hill Road (West) | |
| | 66 (42) | 10" | Mt. Auburn St. from Fresh Pond Ln. | |
| | 67 (59) | 8" | Mt. Auburn St. from Old Dee Rd. | |
| | 68 (49) | 8" | Mt. Auburn St. at Aberdeen Ave. | |
| | 69 (76) | 8" | Aberdeen Avenue | |
| | 70 (77) | 12" | Aberdeen Avenue | |
| | 71 (25) | 8" | Homer Avenue | |
| | 72 (26) | 8" | Homer Avenue | |
| | 73 (78) | 15" | Holworthy Place | |

(1) Public or Special

ATTACHMENT A

| (1) Type | and Number | Diameter | Location (Section, landmark, street house number, etc.) |
|-------------|------------|----------|---|
| Public: | 74 (79) | 8" | Holworthy Place |
| (cont.) | 75 (80) | 12" | Holworthy St. near Holworthy Pl. |
| | 76 (81) | 15" | Cushing St. at Thingvalla Ave. |
| | 77 (82) | 15" | Thingvalla Ave. btwn Sullivan & Cushing |
| | 78 (67) | 6" | Thingvalla Ave. btwn Sullivan & Cushing |
| | 79 (63) | 8" | Thingvalla Ave. btwn Sullivan & Cushing |
| | 80 (64) | 6" | Thingvalla Ave. btwn Sullivan & Cushing |
| | 81 (65) | 6" | Thingvalla Ave. btwn Sullivan & Cushing |
| | 82 (66) | 6" | Thingvalla Ave. btwn Sullivan & Cushing |
| Special: | 1 (SP19) | 6" | 555 Concord Avenue |
| | 2 (SP27) | Unk. | 25 Wheeler St. |
| | 3 (SP20) | 6" | 211 Alewife Brook Pkwy. |
| | 4 (SP25) | 4" | 55 Wheeler St. |
| | 5 (SP26) | Unk. | 55 Wheeler St. |
| | 6 (SP12) | 6" | 45 Alewife Brook Pkwy. |
| | 7 (SP28) | 8" | Granite Street at Pearl St. |
| | 8 (SP15) | 6" | Polaroid (Formerly B & B Chem. Co.) |
| | 9 (SP29) | 8" | Western Ave. near Blackstone St. |
| | 10 (SP16) | 6" | 889 Memorial Drive |
| | 11 (SP24) | 12" | Peabody Terrace (Harv. Dorm) |
| | 12 (SP23) | 12" | Peabody Terrace (Harv. Dorm) |
| | 13 (SP7) | 8" | Riverview Avenue |
| | 14 (SP30) | 10" | 1010 Memorial Drive |
| | 15 (SP13) | 6" | Mt. Auburn Cemetary Chapel |
| | 16 (SP31) | 8" | 60 Aberdeen Avenue |
| | 17 (SP32) | 10" | 625 Mt. Auburn St. |
| | 18 (SP9) | 6" | 43 Homer Ave. |
| | 19 (SP33) | 8" | 699 Mt. Auburn St. |
| | 20 (SP17) | 6" | 360 River Street Rear |
| | 21 (SP8) | 8" | Harvard Dorm Kirkland House |

(1) Public or Special

(1)

ATTACHMENT B
MUNICIPAL PERMIT

Schedule of Reporting Requirements

The Municipality shall submit the following reports, as described in the permit, to the Sewerage Division of the MWRA:

- A. Within 30 days from the effective date of this permit:

Status report on current program to eliminate excessive inflow and infiltration.
- B. Within 90 days from the effective date of this permit:
 - 1. Current sewer use ordinance or bylaw and opinion of counsel on its compliance with 40 CFR Part 35.
 - 2. Current retail rate structure.
 - 3. A proposed program to promote and implement safe disposal of household and automotive products containing hazardous wastes.
 - 4. Septage Disposal Management Report (Attachment C)
- C. By September 30 of each year:
 - 1. Application for Municipal Discharge Permit Renewal.
- D. By October 30 of each year:
 - 1. Municipal Sewerage Customer Use Data Summary
- E. Upon request:
 - 1. Records of septage disposal within the Municipality.
 - 2. Timetable for introduction of full cost accounting.

(2)

ATTACHMENT B
MUNICIPAL PERMIT

F. Sixty days prior to adoption:

Proposed modifications to sewer use ordinances,
bylaws or rate structures.

G. By June 15 of each year:

1. Status report on current rehabilitation program to eliminate excessive inflow and infiltration.
2. Plans for an ongoing inspection and maintenance program aimed at control of inflow and infiltration.

ATTACHMENT C
SEPTAGE DISPOSAL MANAGEMENT REPORT

City/Town: Cambridge

(Please answer all questions completely, use additional sheets, if necessary).

Is there a designated septage disposal site located in your municipality? Yes ___ No ___ (If yes, answer all questions in Section A and submit copies of all permits, approvals, and agreements related to the operation of the designated disposal site; if no, answer all questions in Section B).

Section A

1. Where is the disposal site located? (Indicate street name and supply map, if possible). _____

2. What type of facility is the disposal site? (Local or MWRA manhole, special receiving station, etc). _____

3. Does the disposal site have any pretreatment capabilities, i.e. grit removal, odor control, etc.? (If yes, describe).

4. Have any sewer or manhole maintenance problems occurred at or near the disposal site? (If yes, explain). _____

5. What are the authorized days and hours of operation of the disposal site? Is the site manned during these periods?

6. What type of monitoring and control program has the municipality employed to prevent unauthorized discharges at the disposal site?

7. Does the monitoring and control program effectively verify the origin, content and volume of septage being received? How? _____

8. If physical barriers are present at the disposal site (gates, locks, etc.), who is authorized to make the site accessible?

9. Is septage from other municipalities accepted at the disposal site? (If yes, describe arrangement and attach any written agreements). _____

10. What is the approximate volume of septage received at the disposal site: From your municipality? _____ gallons/day; From other municipalities? _____ gallons/day.
11. Does your municipality assess a septage disposal fee? (If yes, describe fully). _____

12. Has your municipality compiled a list of septage haulers who are authorized/permitted to utilize the disposal site? (If yes, identify by company name, vehicle license plate #, permit #, etc.). How often is this list updated?

13. Are there any industries in your municipality not presently sewered? (If yes, identify by company name and address). Does the septage disposal site accept any wastes from these industries? _____

14. Has the municipality taken samples of septage loads or required the haulers to provide septage quality data prior to discharging? (If so, provide copies of all data received during the past twelve (12) months).

15. Have any unauthorized septage discharges occurred at the disposal site to which the municipality is aware? (If yes, explain).

16. Approximately what percentage of your municipality is sewerred? _____
17. What is the approximate volume of septage generated annually within your municipality? _____

Section B

1. Where is the septage generated within your municipality disposed? Does your municipality have any agreements with other municipalities to accept and dispose of your septage? (If yes, list the municipalities and provide copies of any written agreements). _____

2. Has your municipality compiled a list of septage haulers who are authorized/permitted to operate within your community? (If yes, identify by company name, vehicle license plate #, permit #, etc.). How often is this list updated?

3. Approximately what percentage of your community is sewerred?

4. What is the approximate volume of septage generated annually within your municipality? _____
5. Are there any industries in your municipality not presently sewerred? (If yes, identify by company name and address).

(1)

ATTACHMENT D
MUNICIPAL PERMIT

The following provisions are applicable to those Municipalities where combined sanitary and storm sewer overflows (CSO) are located.

- A. No later than December 31, 1987, the Municipality shall submit to the MWRA a written report which addresses the following:
1. Past operational deficiencies and/or recent construction or replacements within the municipal system relating to CSO outfalls, tidegates, regulators or other combined sewer works.
 2. Present operation and maintenance procedures for tidegate inspections and maintenance; and
 3. An identification of each individual who is responsible for any aspect of tidegate regulators or sewer line maintenance. This identification should describe the relevant duties of each such individual, state the individual's title and provide a business telephone number at which each such individual can be reached.
- B. No later than January 15, 1988, the Municipality shall submit to the MWRA the following materials:
1. Existing maintenance reports and schedules relating to all CSO tidegates, outfalls, regulators, sumps and any other combined sewer works; and
 2. All as-built drawings for each overflow point up to and including the point where the regulator diverts dry weather flow to treatment.
- C. The Municipality shall comply with the following CSO outfall identification, monitoring and reporting requirements:

(2)

ATTACHMENT D
MUNICIPAL PERMIT

1. Outfall Identification

By February 28, 1988, the Municipality shall place and maintain identification signs at all municipally owned CSO outfall structures. These signs shall be a minimum of 12 X 18 inches in size, shall be metal with embossed white lettering against a green background, and shall contain the following information:

NAME OF MUNICIPALITY
WET
WEATHER
SEWERAGE
DISCHARGE
OUTFALL
(discharge serial number)

The Municipality shall give notice of compliance with this requirement, pursuant to paragraph 2. below.

2. Discharge Notification Requirements

On January 15, April 15, July 15 and October 15 for each year that this Municipal Permit is in effect, the Municipality shall notify the MWRA of all discharges from the Municipality's CSO outfalls. On those dates, the following information must be submitted for each outfall discharge in writing:

- a. the estimated period of discharge;
- b. the estimated volume of discharge; and
- c. the national weather service precipitation data for Boston, Massachusetts at the times of such discharges.

3. Discharge Monitoring Program

The Municipality, by January 31, 1988, shall submit to the MWRA a proposed monitoring program which shall be designed to:

(3)

ATTACHMENT D
MUNICIPAL PERMIT

- a. adequately assess compliance or noncompliance with water quality standards for the receiving waters during wet weather and dry weather and minimum dilution conditions for receiving waters;
- b. provide an assessment of individual overflow impacts on the receiving waters; and
- c. provide for reporting the results to EPA and DEQE as well as MWRA.

Within three months after approval of the monitoring program by MWRA, the Municipality shall implement the program.

4. Facilities Inspection Program

The Municipality shall conduct a tidegate and CSO structure/regulator inspection and maintenance program whereby such facilities are inspected every 3 months, with the results thereof submitted to the MWRA on January 15, April 15, July 15 and October 15 of each year during which this Municipal Permit is in effect. The Municipality shall also repair and perform preventive and corrective maintenance, as necessary, to said facilities, reporting such measures in accordance with the above schedule. Each such report shall identify the CSO facility upon which repair or maintenance was performed and shall describe the conditions which necessitated such measures and whether the measures taken resolved the problem.

- D. No later than March 31, 1988, the Municipality shall submit to the MWRA a proposed program for the implementation of management practices for runoff and overflow control. Such practices shall include, but need not be limited to, street cleaning, combined sewer flushing and catch basin cleaning. The Municipality shall implement said program within sixty calendar days from the date the MWRA's approval thereof being issued (as defined at 360 CMR 2.08) by the MWRA to the Municipality.

(4)

ATTACHMENT D
MUNICIPAL PERMIT

- E. All reports herein required regarding CSO facilities shall be submitted in writing and shall be postmarked no later than the due date for each such report. Each such report shall be submitted to:

Massachusetts Water Resources Authority
Superintendent, Collection Systems
Sewerage Division
Charlestown Navy Yard
100 First Avenue
Charlestown, MA 02129




City of Cambridge

OFFICE OF THE MAYOR

December 2, 1987

MEMO:

TO: Joseph E. Connarton
City Clerk

FROM: David Noonan 

RE: Massachusetts Water Resources Authority
Municipal Permit - City of Cambridge, MA.

The attached CERTIFIED LETTER (#P 478 797 192), together with enclosures was received in this office on November 30, 1987.

The substance thereof should be made available to The Honorable, The City Council as a communication for the Session on December 7, 1987.

Thank you for your attention to this matter.

(enclosure)

8.

S-721

Comm. from Noel D. Baratta, P.E., Director,
Sewage Division, Mass. Water Resources Author-
ity issuing to the City & transmitting for
review a Municipal Discharge permit effective
December 1, 1987 - November 30, 1988 inclusive
Re: regulating all discharge, septage disposal
sites & direct connections to the MWRA's sewer-
age system.

In City Council,

December 7, 1987

Placed on File

12-7-87