



City of Cambridge

Communication No. 4

IN CITY COUNCIL

October 21, 1985

ORDERED:

That, in accordance with the provisions of an ordinance relative to placing and maintaining signs, the Commissioner of Public Works be and hereby is authorized to grant a permit to Tapas Restaurant for the erection of two signs with fluorescent light fixtures at 2067 Mass. Avenue

Provided that, before erecting the above named signs, the petitioner shall obtain a permit from the Inspectional Services Department and file with the City Clerk a satisfactory bond in the sum of Two Thousand (\$2,000.) Dollars, conditioned to save harmless the City of Cambridge from all claims for damages from all claims for damages arising from the construction, maintenance and use of said signs.

In City Council October 21, 1985
 Adopted by the affirmative vote of 9 members.
 Attest:- Paul E. Healy, City Clerk.

A true copy;

ATTEST:-


 Paul E. Healy, City Clerk.



City of Cambridge

Communication No. 4

IN CITY COUNCIL

October 21, 1985

ORDERED:

That, in accordance with the provisions of an ordinance relative to placing and maintaining signs, the Commissioner of Public Works be and hereby is authorized to grant a permit to Tapas Restaurant for the erection of two signs with fluorescent light fixtures at 2067 Mass. Avenue

Provided that, before erecting the above named signs, the petitioner shall obtain a permit from the Inspectional Services Department and file with the City Clerk a satisfactory bond in the sum of Two Thousand (\$2,000.) Dollars, conditioned to save harmless the City of Cambridge from all claims for damages from all claims for damages arising from the construction, maintenance and use of said signs.

In City Council October 21, 1985

Adopted by the affirmative vote of 9 members.

Attest:- Paul E. Healy, City Clerk.

A true copy;

ATTEST:-


Paul E. Healy, City Clerk.



City of Cambridge

Communication No. 4

IN CITY COUNCIL

October 21, 1985

ORDERED:

That, in accordance with the provisions of an ordinance relative to placing and maintaining signs, the Commissioner of Public Works be and hereby is authorized to grant a permit to Tapas Restaurant for the erection of two signs with fluorescent light fixtures at 2067 Mass. Avenue

Provided that, before erecting the above named signs, the petitioner shall obtain a permit from the Inspectional Services Department and file with the City Clerk a satisfactory bond in the sum of Two Thousand (\$2,000.) Dollars, conditioned to save harmless the City of Cambridge from all claims for damages from all claims for damages arising from the construction, maintenance and use of said signs.

In City Council October 21, 1985

Adopted by the affirmative vote of 9 members.

Attest:- Paul E. Healy, City Clerk.

A true copy;

ATTEST:-


Paul E. Healy, City Clerk.



MEMO

from Joseph E. Connarton
DEPUTY CITY CLERK

Sept. 19 1985

Elaine:

While going through the papers on Tapes I discovered two things, (a) they do have a spin, they just want to illuminate it and (b) we have a drawing which I've enclosed for your review.

His name is Glenn Matsura and he may call you next week.

Many thanks,

Joe

Joe
OK
Elaine
10.2.85

SIGN DESIGN REVIEW APPLICATION
COMMUNITY DEVELOPMENT DEPARTMENT

APPLICANT: Tapas Restaurant _____
(name) (phone)

2067 Mass. Avenue
Cambridge, Ma 02140
(address)

Glen Maxsurao
(signature, authorized representative)

PROPERTY OWNER: HJ Davis Development Corp.

LOCATION PREMISES: 2067 Mass. Avenue.

ZONING DISTRICT: Business C

AREA OF SPECIAL
PLANNING CONCERN:

Harvard Sq.
Overlay

Parkway
Overlay

Bus. B-1 or B-2

DATE APPLICATION SUBMITTED: by J. Connarton- Deputy City Clerk
9.19.85
(see Ref att'd)

PLEASE NOTE:

ALL SIGNS MUST RECEIVE A BUILDING PERMIT FROM THE DEPARTMENT OF INSPECTIONAL SERVICES BEFORE INSTALLATION. COMMUNITY DEVELOPMENT DEPARTMENT ACTION DOES NOT CONSTITUTE ISSUANCE OF A BUILDING PERMIT OR CERTIFICATION THAT ALL OTHER BUILDING CODE OR OTHER REQUIREMENTS HAVE BEEN MET.

FOR YOUR OWN PROTECTION DO NOT CONTRACT FOR THE FABRICATION OF A SIGN UNTIL A BUILDING PERMIT HAS BEEN ISSUED BY THE DEPARTMENT OF INSPECTIONAL SERVICES

C. COMMUNITY DEVELOPMENT DEPARTMENT DESIGN REVIEW DECISION - FOR USE BY
INSPECTIONAL SERVICES DEPARTMENT

1. Decision Sign approved as submitted

2. Findings

a. The proposed sign does not conform to the Decision of the CDD.
Sign requires action from the Board of Zoning Appeal:

Variance _____
Special Permit _____

b. The proposed sign conforms to the Decision of the CDD: ✓


c. Sign does not require CDD design approval. _____

10.2.85

(date)

Elaine C. Thorne

Authorized signature for the
Community Development Department



10.2.05
Approved
E. Thorne

Fluorescent Sign Floodlights Adliner Sataliner BSL

Black Anodized Alum. Finish

How to Specify

Adliner

The luminaire shall be Westinghouse Adliner fixture Style No. consisting of an enameled extruded aluminum reflector, spring loaded plunger type silver-plated contact sockets and neoprene boots, and shall include provision for aiming throughout 360 degrees rotation. Clear acrylic plastic cover shall be available (optional) for insertion into grooves in front edges of reflector.

Sataliner

The luminaire shall be Westinghouse Sataliner fixture Style No. consisting of an Alzak aluminum reflector, with specular finish, spring loaded plunger type silver-plated contact sockets with neoprene boots, and shall include provision for aiming throughout 360 degrees rotation with graduated aiming dial. Door assembly shall consist of a stainless steel frame with clear acrylic plastic cover, sponge neoprene weatherproof gasket, with stainless steel hinges and latches. Housing shall be finished with green acrylic baked enamel paint.

BSL

The luminaire shall be Westinghouse BSL Style No. for use with (HO, SHO) lamps. The luminaire shall consist of a formed aluminum housing, a one piece clear acrylic lens, a door assembly of extruded aluminum side rails with die cast ends and a locking lever to hold door in open position for servicing, and housing finished in green acrylic baked enamel. Reflector shall be of Alzak aluminum easily moved without tools. Sockets shall be spring loaded plunger type and include neoprene boots.

Adliner Luminaire—Ordering Information

Order As:			Shipped As:		Net Wt.: Lbs.
Type Number(1)	Length: Feet	Description	Style No. T-12 Lamp	No. per Carton	
A-TK	...	Termination Kit	890D212G04	1	.8
1-SL-48AP	4	Extension Fixture with Cover	890D212G09	2	6.0
1-SL-72AP	6	Extension Fixture with Cover	890D212G10	2	8.0
1-SL-96AP	8	Extension Fixture with Cover	890D212G11	2	10.0

(1) Includes one complete mounting hub assembly to terminate a row of luminaires and two end cover plates. A termination kit is required for each individually mounted luminaire and for each continuous row of luminaires.

Sataliner Enclosed Luminaire—Ordering Information

Order As:		Description	Shipped As: Style No.		Net Wt.: Lbs.
Type Number(2)	Lamp Length		for T-12 Lamp Two/Ctn.	Door Assembly Two/Ctn.	
TK	...	Termination Kit	890D003G01	...	...
1-SL-48DW	4'	Extension Fixture w/Wireway	890D003G11	890D003G14	10.1
1-SL-72DW	6'	Extension Fixture w/Wireway	890D003G12	890D003G15	13.9
1-SL-96DW	8'	Extension Fixture w/Wireway	890D003G13	890D003G16	17.7

(2) Includes one complete mounting hub assembly to terminate a row of luminaires and two end cover plates. A termination kit is required for each individually mounted luminaire and for each continuous row of luminaires.

BSL Luminaire—Ordering Information


Order As: Style Number	Lamp Data(2)		Ballast Data		Lamp Current	Reliable Lamp Starting Temp.	Approx. Shipping Wt., Lbs.
	No.	Type	Volts	Amps			
106D062G04	2	F48T12/HO	120	1.30	800 MA	-20°F	33
106D062G12	2	F48T12/SHO	118	2.1	1500 MA	0°F	33
106D062G16	2	F72T12/HO	120	1.80	800 MA	--20°F	43
106D063G04	2	F72T12/SHO	120	3.3	1500 MA	--20°F	43
106D063G08	2	F96T12/HO	120	2.1	800 MA	--20°F	53
106D063G12	2	F96T12/SHO	120	3.3	1500 MA	0°F	53

(1) Lamps not included. Order separately.


Weatherproof Fluorescent Ballast for Adliner or Sataliner

Type No.	Input Voltage	Lamp Type	Lamp Current
WPB-48-120	120 V	2 F48T12HO	800 MA
WPB-68-120	120 V	2 F72T12HO	800 MA
WPB-88-120	120 V	2 F96T12HO	800 MA
WPB-415-120	120 V	2 F48T12SHO	1500 MA
WPB-615-120	120 V	2 F72T12SHO	1500 MA
WPB-815-120	120 V	2 F96T12SHO	1500 MA


Footcandles Using One 1500 MA Lamp



Footcandles Using One 1500 MA Lamp



Footcandles Using Two 1500 MA Lamps



Westinghouse



Fluorescent Sign
Floodlights
Adliner
Sataliner
BSL

Adliner—Aiming Down Only

The Adliner provides all the advantages of fluorescent sign lighting with the feature of greater initial economy. Reflector adjustable through a 360° angle. Available with or without sliding plastic cover.


Sataliner—For Aiming Up or Down

The Sataliner features an asymmetric specular reflector, Alzak aluminum, to provide a high illumination level with unmatched uniformity and control. Reflector adjustable through a 360° angle. Units include weatherproof door assembly.




BSL—Aiming up only

BSL luminaire is designed for mounting from the bottom structure of a sign or building at a varying projected distance to obtain maximum illumination. Available in 4 foot, 6 foot and 8 foot lengths with 1 or 2 lamps per luminaire.


Type	A	B
1-SL-48A	51%	53%
1-SL-72A	75%	77%
1-SL-96A	99%	101%

**Adliner**

Type	A	B
1-SL-48	51%	54%
1-SL-72	75%	78%
1-SL-96	99%	102%

**Sataliner**

Unit	A	E	F	G	Mounting Hole Spacing		
					B	C	D
BSL-4 ft.	60	15%	6%	5%	13	24	6%
BSL-6 ft.	74	15%	6%	5%	13	24	6%
BSL-8 ft.	98	15%	6%	5%	25	48	6%



RECEIVED BY
OFFICE OF CITY CLERK

Cambridge, DEC 10 1984

To the Honorable, the City Council of the City of Cambridge:

PRIOR TO APPROVAL OF THE CITY COUNCIL, EACH PETITION MUST BE ACCOMPANIED BY A DRAWING OF PROPOSED SIGN, INDICATING DESIGN AND DIMENSIONS AND LOCATION ON PREMISES.

The undersigned respectfully prays that TAPAS RESTAURANT be granted permit to erect a sign of the following specifications in front of premises AT 2067 MASSACHUSETTS AVENUE, CAMBRIDGE, MASS. 02140

Type: ZALUMINUM SIGNS WITH ELECTRIC LIGHT FIXTURE
(State whether Electric or otherwise and material used in construction)

Reading matter to go on sign: TAPAS RESTAURANT

Size: SIGNS (2) 17' x 20" ea LIGHT FIXTURES (2) 18' ea

Weight: SIGNS (2) 6 lbs ea LIGHT FIXTURES (2) 20 lbs ea

How Erected: A: Sign 1 1/4" LIGHT 1' B: Sign 11' LIGHT 13'
(A: Give exact distance sign is to extend from building over sidewalk.)
(B: Also exact distance from bottom of sign to sidewalk.)

Height Above Grade: Bottom 11' Top 14'

Glen T. Matsuura MATSUURA
(Signature of Applicant) PRESIDENT
TAPAS INC
2067 MASS AVE CAMB, 02140
(Address)

NOTICE - REGULATIONS

SECTION 1412.0 STATE BUILDING CODE

PROJECTING SIGNS

1. A projecting sign shall be constructed wholly of incombustible materials.
2. All signs must meet requirements of Zoning Ordinances and Building Code.

APPROVED: M-J

Building Inspector

12/10/84

Date

H J DAVIS DEVELOPMENT CORPORATION · 320 WASHINGTON STREET · BROOKLINE · MA 02146 · 617 232-3130

November 28, 1984

Ms. Polly Guggenheim
Tapas
2067 Massachusetts Avenue
Cambridge, MA 02140

Dear Polly:

Please be advised that we are approving this lighting fixture work provided that they be installed in the same manner and of the same materials as the lights installed by Healthstop.

Very truly yours,

H J DAVIS DEVELOPMENT

Jonathan G. Davis

JGD:A
Enclosure



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of 2067 Massachusetts Avenue, Cambridge, Massachusetts,
I do hereby declare my disapproval _____ approval ✓ of the installment of:

Canopy over the sidewalk entrance: _____

Awnings over the windows: _____

Projecting sign: light fixture

of said property _____

Signed: [Signature] Date: November 28, 1984

Address: 320 Washington Street, Brookline, MA 02146

Reply is requested within seven (7) days of date of this letter.



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of THE BANK OF GREECE, Cambridge, Massachusetts,
I do hereby declare my disapproval approval of the installment of:

Canopy over the sidewalk entrance: _____

Awnings over the windows: _____

Projecting sign: with lights

of said property.

Signed: _____

Date: _____

Address: _____

2067 MARS. AVE. CAMBRIDGE, MA 02140

Reply is requested within seven (7) days of date of this letter.



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of CHARLES ASSOCIATES, Cambridge, Massachusetts,

I do hereby declare my disapproval _____ approval X of the installment of:

Canopy over the sidewalk entrance: _____

Awnings over the windows: _____


Projecting sign: WITH LIGHTS . _____

of said property.

Signed: Daniel Quinn PRS Charles Associates Date: 10/26/84

Address: 2067 Mass Ave Cambridge

Reply is requested within seven (7) days of date of this letter.



Westinghouse



Fluorescent Sign Floodlights Adliner Sataliner BSL

Adliner—Aiming Down Only

The Adliner provides all the advantages of fluorescent sign lighting with the feature of greater initial economy. Reflector adjustable through a 360° angle. Available with or without sliding plastic cover.

Sataliner—For Aiming Up or Down


The Sataliner features an asymmetric specular reflector, Alzak aluminum, to provide a high illumination level with unmatched uniformity and control. Reflector adjustable through a 360° angle. Units include weatherproof door assembly.

BSL—Aiming up only


BSL luminaire is designed for mounting from the bottom structure of a sign or building at a varying projected distance to obtain maximum illumination. Available in 4-foot, 6-foot and 8-foot lengths with 1 or 2 lamps per luminaire.




Type	A	B
1-SL-48A	51%	53%
1-SL-72A	75%	77%
1-SL-96A	99%	101%





Adliner



Type	A	B
1-SL-48	51%	54%
1-SL-72	75%	78%
1-SL-96	99%	102%



Sataliner



Unit	A	E	F	G	Mounting Hole Spacing		
					B	C	D
BSL—4 ft.	50	15 1/8	6 1/8	5 1/8	13	24	6 1/8
BSL—6 ft.	74	15 1/8	6 1/8	5 1/8	13	24	6 1/8
BSL—8 ft.	98	15 1/8	6 1/8	5 1/8	25	48	6 1/8

BSL

Fluorescent Sign Floodlights Adliner Sataliner BSL

Black Anodized Alum. Finish

How to Specify

Adliner

The luminaire shall be Westinghouse Adliner fixture Style No. consisting of an enameled extruded aluminum reflector, spring loaded plunger type silver-plated contact sockets and neoprene boots, and shall include provision for aiming throughout 360 degrees rotation. Clear acrylic plastic cover shall be available (optional) for insertion into grooves in front edges of reflector.

Sataliner

The luminaire shall be Westinghouse Sataliner fixture Style No. consisting of an Alzak aluminum reflector, with specular finish, spring loaded plunger type silver-plated contact sockets with neoprene boots, and shall include provision for aiming throughout 360 degrees rotation with graduated aiming dial. Door assembly shall consist of a stainless steel frame with a clear acrylic plastic cover, sponge neoprene weatherproof gasket, with stainless steel hinges and latches. Housing shall be finished with green acrylic baked enamel paint.

BSL

The luminaire shall be Westinghouse BSL Style No. for use with (HO, SHO) lamps. The luminaire shall consist of a formed aluminum housing, a one-piece clear acrylic lens, a door assembly of extruded aluminum side rails with die cast ends and a locking lever to hold door in open position for servicing, and housing finished in green acrylic baked enamel. Reflector shall be of Alzak aluminum easily removed without tools. Sockets shall be spring loaded plunger type and include neoprene boots.

Adliner Luminaire—Ordering Information

Order As:			Shipped As:		Net
Type Number①	Length: Feet	Description	Style No. T-12 Lamp	No. per Carton	Wt.: Lbs.
A-TK	...	Termination Kit	890D212G04	1	.8
1-SL-48AP	4	Extension Fixture with Cover	890D212G09	2	6.0
1-SL-72AP	6	Extension Fixture with Cover	890D212G10	2	8.0
1-SL-96AP	8	Extension Fixture with Cover	890D212G11	2	10.0

① Includes one complete mounting hub assembly to terminate a row of luminaires and two end cover plates. A termination kit is required for each individually mounted luminaire and for each continuous row of luminaires.

Sataliner Enclosed Luminaire—Ordering Information

Order As:		Description	Shipped As: Style No.		Net
Type Number②	Lamp Length		for T-12 Lamp Two/Ctn.	Door Assembly Two/Ctn.	Wt.: Lbs.
TK	..	Termination Kit	890D003G01		
1-SL-48DW	4'	Extension Fixture w/Wireway	890D003G11	890D003G14	10.1
1-SL-72DW	6'	Extension Fixture w/Wireway	890D003G12	890D003G15	13.9
1-SL-96DW	8'	Extension Fixture w/Wireway	890D003G13	890D003G16	17.7

② Includes one complete mounting hub assembly to terminate a row of luminaires and two end cover plates. A termination kit is required for each individually mounted luminaire and for each continuous row of luminaires.

BSL Luminaire—Ordering Information


Order As: Style Number	Lamp Data③		Ballast Data		Lamp Current	Reliable Lamp Starting Temp.	Approx. Shipping Wt., Lbs.
	No.	Type	Volts	Amps			
106D062G04	2	F48T12/HO	120	1.30	800 MA	-20°F	33
106D062G12	2	F48T12/SHO	118	2.1	1500 MA	0°F	33
106D062G16	2	F72T12/HO	120	1.80	800 MA	-20°F	43
106D063G04	2	F72T12/SHO	120	3.3	1500 MA	-20°F	43
106D063G08	2	F96T12/HO	120	2.1	800 MA	-20°F	53
106D063G12	2	F96T12/SHO	120	3.3	1500 MA	0°F	53

③Lamps not included. Order separately.


Weatherproof Fluorescent Ballast for Adliner or Sataliner

Type No.	Input Voltage	Lamp Type	Lamp Current
WPB-48-120	120 V	2-F48T12HO	800 MA
WPB-68-120	120 V	2-F72T12HO	800 MA
WPB-88-120	120 V	2-F96T12HO	800 MA
WPB-415-120	120 V	2-F48T12SHO	1500 MA
WPB-615-120	120 V	2-F72T12SHO	1500 MA
WPB-815-120	120 V	2-F96T12SHO	1500 MA


Footcandles Using One 1500 MA Lamp



Footcandles Using One 1500 MA Lamp



Footcandles Using 2—1500 MA Lamps



H J DAVIS DEVELOPMENT CORPORATION · 320 WASHINGTON STREET · BROOKLINE · MA 02146 · 617 232-3130

November 28, 1984

Ms. Polly Guggenheim
Tapas
2067 Massachusetts Avenue
Cambridge, MA 02140

Dear Polly:


Please be advised that we are approving this lighting fixture work provided that they be installed in the same manner and of the same materials as the lights installed by Healthstop.

Very truly yours,

H J DAVIS DEVELOPMENT

Jonathan G. Davis

JGD:A
Enclosure



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of 2067 Massachusetts Avenue, Cambridge, Massachusetts,

I do hereby declare my disapproval _____ approval ✓ of the installment of:

Canopy over the sidewalk entrance: _____

Awnings over the windows: _____

Projecting sign: light fixture

of said property

Signed: [Signature] Date: November 28, 1984

Address: 320 Washington Street, Brookline, MA 02146

Reply is requested within seven (7) days of date of this letter.



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of THE BANK OF GREECE, Cambridge, Massachusetts,
I do hereby declare my disapproval _____ approval _____ of the installment of:

Canopy over the sidewalk entrance: _____


Awnings over the windows: _____

Projecting sign: with lights
of said property _____

Signed: [Signature] Date: 10/30/84

Address: 2067 MASS. AVE. CAMBRIDGE, MA. 02140

Reply is requested within seven (7) days of date of this letter.



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of CHARLES ASSOCIATES, Cambridge, Massachusetts,

I do hereby declare my disapproval _____ approval X of the installment of:

Canopy over the sidewalk entrance: _____

Awnings over the windows: _____

Projecting sign: WITH LIGHTS . _____

of said property.

Signed: David C. Quinn P.E. for Charles Associates Date: 10/26/84

Address: 2067 Mass Ave Cambridge

Reply is requested within seven (7) days of date of this letter.



CITY OF CAMBRIDGE
INTEROFFICE CORRESPONDENCE

To Kathy Spiegelman, Assistant City Manager for
Community Development

Date January 30, 1985

From Paul E. Healy, City Clerk

Reference

Subject Petitions of Aaron Spencer & Tapas Restaurant for
sign & awning, respectively

On December 10, 1984, the City Council referred the above to Community Development for report, on order of Councillor Duehay. Your kind attention in this matter will be greatly appreciated by this office and the membership of the City Council.

PEH/mh



CITY OF CAMBRIDGE
INTEROFFICE CORRESPONDENCE

To Kathy Spiegelman, Asst. City Manager for
Community Development

Date December 13, 1984

From Paul E. Healy, City Clerk

Reference

Subject Enclosed sign & awning petitions

Enclosed you will find copies of two petitions received by the City Council at its meeting of Monday, December 10, 1984:

The first petition is from Aaron Spencer requesting permission for an awning at 22 John F. Kennedy Street. The second petition is from the Tapas Restaurant requesting permission for two signs at 2067 Massachusetts Avenue.

Both petitions were referred to your Department for report at the aforementioned meeting on motion of Councillor Duehay.

Your very kind cooperation in this matter will be greatly appreciated, both by this office and the City Council..

PEH/mh

Enclosures: City Council Communications 5 & 13 of 12/10/84

PETITION

of Aaron Spencerfor an awningNo. 22 John F. Kennedy Street

December 3, 19 84

-12/10/84-
Referred to Com. 4
Development for Report

In City Council, December 10 19 84

Referred to the Committee on

Attest:

City Clerk

12/10/84
Marion O. R. Roebuck

RECEIVED BY
OFFICE OF CITY CLERK

Cambridge, NOV 29 1984

To the Honorable, the City Council of the City of Cambridge:

PRIOR TO APPROVAL OF THE CITY COUNCIL, EACH PETITION MUST BE ACCOMPANIED BY A DRAWING OF PROPOSED SIGN, INDICATING DESIGN AND DIMENSIONS AND LOCATION ON PREMISES.

The undersigned respectfully prays that AARON SPENCER be granted permit to erect a sign of the following specifications in front of premises AWNING
22 JFK STREET.

Type: CANVAS (STEEL FRAME)
(State whether Electric or otherwise and material used in construction)

Reading matter to go on sign: N/A

Size: 2'6" X 20'

Weight: 600 lbs

How Erected: A: 2'

B: 10'

(A: Give exact distance sign is to extend from building over sidewalk.)
(B: Also exact distance from bottom of sign to sidewalk.)

Height Above Grade: Bottom 10'

Top 13-6

Thomas K. Watson
(Signature of Applicant)

14 BLANDFORD PKY
NORWOOD, MA. 02062
(Address)

NOTICE - REGULATIONS

SECTION 1412.0 STATE BUILDING CODE

PROJECTING SIGNS

1. A projecting sign shall be constructed wholly of incombustible materials.
2. All signs must meet requirements of Zoning Ordinances and Building Code.

APPROVED: R. Morgan

Building Inspector

11/29/84
Date

RECEIVED BY
OFFICE OF CITY CLERK
CAMBRIDGE, MASS.
DEC 3 2 18 PM '84

A

WOOD PARAPET

LT. FIXTURE

AWNING


SIGN

T & G BOARDS

APPLIED HOLDING
TYPICAL EXISTING
PIEASTAL

NEW TILE

ELEVATION





CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of Barry Mayer, Cambridge, Massachusetts,
I do hereby declare my disapproval _____ approval ✓ of the installment of:

Canopy over the sidewalk entrance: ✓ Bm

Awnings over the windows: ✓ Bm

~~Projecting sign:~~ _____

of said property.

Signed: Barry Mayer Date: 11/29/84

Address: 18 JFK ST. Cambridge Ma

Reply is requested within seven (7) days of date of this letter.



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of TRIPS AND COMPANY, Cambridge, Massachusetts,

I do hereby declare my disapproval _____ approval ✓ of the installment of:

Canopy over the sidewalk entrance: ✓

Awnings over the windows: ✓

~~Projecting sign:~~ _____

of said property.

Signed: Ellen M. Gunkel

Date: Dec 3, 1984

Address: 24 John F. Kennedy St., Cambridge

Reply is requested within seven (7) days of date of this letter.

PETITION

of Tapas Restaurantfor two signsNo. 2067 Mass. AvenueDecember 10, 19 84

12/10/84
Referred to the
Community Development
Dept for Report
In City Council, December 10, 1984

Referred to the Committee on

Motion of E. Dochay

Attest:

City Clerk

RECEIVED BY
OFFICE OF CITY CLERK

Cambridge, DEC 10 1984

To the Honorable, the City Council of the City of Cambridge:

FOR THE CITY OF CAMBRIDGE, MASS.
PRIOR TO APPROVAL OF THE CITY COUNCIL, EACH PETITION MUST BE ACCOMPANIED BY A DRAWING OF PROPOSED SIGN, INDICATING DESIGN AND DIMENSIONS AND LOCATION ON PREMISES.

The undersigned respectfully prays that TAPAS RESTAURANT be granted permit to erect a sign of the following specifications in front of premises AT 2067 MASSACHUSETTS AVENUE, CAMBRIDGE, MASS. 02140

Type: ALUMINUM SIGNS WITH ELECTRIC LIGHT FIXTURE
(State whether Electric or otherwise and material used in construction)

Reading matter to go on sign: TAPAS RESTAURANT

Size: SIGNS (2) 17' X 20" ea LIGHT FIXTURES (2) 18' ea

Weight: SIGNS (2) 6 lbs ea LIGHT FIXTURES (2) 20 lbs ea

How Erected: A: SIGN 1 1/4" LIGHT 1' B: SIGN 11" LIGHT 13'
(A: Give exact distance sign is to extend from building over sidewalk.)
(B: Also exact distance from bottom of sign to sidewalk.)

Height Above Grade: Bottom 11' Top 14'

Glen T. Matsuura MATSUURA
(Signature of Applicant) PRESIDENT

TAPAS INC
2067 MASS AVE CAMB, 02140
(Address)

NOTICE - REGULATIONS

SECTION 1412.0 STATE BUILDING CODE

PROJECTING SIGNS


1. A projecting sign shall be constructed wholly of incombustible materials.
2. All signs must meet requirements of Zoning Ordinances and Building Code.

APPROVED: M-J

Building Inspector

12/10/84

Date



Westinghouse



Fluorescent Sign
Floodlights
Adliner
Sataliner
BSL

Adliner—Aiming Down Only

The Adliner provides all the advantages of fluorescent sign lighting with the feature of greater initial economy. Reflector adjustable through a 360° angle. Available with or without sliding plastic cover.

Sataliner—For Aiming Up or Down

The Sataliner features an asymmetric specular reflector, Alzak aluminum, to provide a high illumination level with unmatched uniformity and control. Reflector adjustable through a 360° angle. Units include weatherproof door assembly.

BSL—Aiming up only

BSL luminaire is designed for mounting from the bottom structure of a sign or building at a varying projected distance to obtain maximum illumination. Available in 4 foot, 6 foot and 8 foot lengths with 1 or 2 lamps per luminaire.

Type	A	B
1-SL-48A	51%	53%
1-SL-72A	75%	77%
1-SL-96A	99%	101%

Adliner

Type	A	B
1-SL-48	51%	54%
1-SL-72	76%	78%
1-SL-96	99%	102%

Sataliner

Unit	A	E	F	G	Mounting Hole Spacing		
					B	C	D
BSL-4 ft.	50	15%	6%	5%	13	24	6%
BSL-6 ft.	74	15%	6%	5%	13	24	6%
BSL-8 ft.	98	15%	6%	5%	25	48	6%

Fluorescent Sign Floodlights Adliner Sataliner BSL

Black Anodized Alum. Finish

How to Specify

Adliner

The luminaire shall be Westinghouse Adliner fixture Style No. consisting of an enameled extruded aluminum reflector, spring loaded plunger type silver-plated contact sockets and neoprene boots, and shall include provision for aiming throughout 360 degrees rotation. Clear acrylic plastic cover shall be available (optional) for insertion into grooves in front edges of reflector.

Sataliner

The luminaire shall be Westinghouse Sataliner fixture Style No. consisting of an Alzak aluminum reflector, with specular finish, spring loaded plunger type silver-plated contact sockets with neoprene boots, and shall include provision for aiming throughout 360 degrees rotation with graduated aiming dial. Door assembly shall consist of a stainless steel frame with clear acrylic plastic cover, sponge neoprene weatherproof gasket, with stainless steel hinges and latches. Housing shall be finished with green acrylic baked enamel paint.

BSL

The luminaire shall be Westinghouse BSL Style No. for use with (HO, HO) lamps. The luminaire shall consist of a formed aluminum housing, a one piece clear acrylic lens, a door assembly of extruded aluminum side rails with die cast nuts and a locking lever to hold door in open position for servicing, and housing finished in green acrylic baked enamel. Reflector shall be of Alzak aluminum easily moved without tools. Sockets shall be spring loaded plunger type and include neoprene boots.

Adliner Luminaire—Ordering Information

Order As:			Shipped As:		Net Wt.: Lbs.
Type Number(1)	Length: Feet	Description	Style No. T-12 Lamp	No. per Carton	
A-TK	...	Termination Kit	890D212G04	1	.8
1-SL-48AP	4	Extension Fixture with Cover	890D212G09	2	6.0
1-SL-72AP	6	Extension Fixture with Cover	890D212G10	2	8.0
1-SL-96AP	8	Extension Fixture with Cover	890D212G11	2	10.0

(1) Includes one complete mounting hub assembly to terminate a row of luminaires and two end cover plates. A termination kit is required for each individually mounted luminaire and for each continuous row of luminaires.

Sataliner Enclosed Luminaire—Ordering Information

Order As:		Description	Shipped As: Style No.		Net Wt.: Lbs.
Type Number(1)	Lamp Length		for T-12 Lamp Two/Ctn.	Door Assembly Two/Ctn.	
TK	...	Termination Kit	890D003G01		
1-SL-48DW	4'	Extension Fixture w/Wireway	890D003G11	890D003G14	10.1
1-SL-72DW	6'	Extension Fixture w/Wireway	890D003G12	890D003G15	13.9
1-SL-96DW	8'	Extension Fixture w/Wireway	890D003G13	890D003G16	17.7

(1) Includes one complete mounting hub assembly to terminate a row of luminaires and two end cover plates. A termination kit is required for each individually mounted luminaire and for each continuous row of luminaires.

BSL Luminaire—Ordering Information


Order As: Style Number	Lamp Data(2)		Ballast Data		Lamp Current	Reliable Lamp Starting Temp.	Approx. Shipping Wt., Lbs.
	No.	Type	Volts	Amps			
106D062G04	2	F48T12/HO	120	1.30	800 MA	-20°F	33
106D062G12	2	F48T12/SHO	118	2.1	1500 MA	0°F	33
106D062G16	2	F72T12/HO	120	1.80	800 MA	-20°F	43
106D063G04	2	F72T12/SHO	120	3.3	1500 MA	-20°F	43
106D063G08	2	F96T12/HO	120	2.1	800 MA	-20°F	53
106D063G12	2	F96T12/SHO	120	3.3	1500 MA	0°F	53

(1) Lamps not included. Order separately.


Weatherproof Fluorescent Ballast for Adliner or Sataliner

Type No.	Input Voltage	Lamp Type	Lamp Current
WPB-48 120	120 V	2 F48T12HO	800 MA
WPB-68 120	120 V	2 F72T12HO	800 MA
WPB-88 120	120 V	2 F96T12HO	800 MA
WPB-415 120	120 V	2 F48T12SHO	1500 MA
WPB-615 120	120 V	2 F72T12SHO	1500 MA
WPB-815 120	120 V	2 F96T12SHO	1500 MA


Footcandles Using One 1500 MA Lamp



Footcandles Using One 1500 MA Lamp



Footcandles Using Two 1500 MA Lamps



H J DAVIS DEVELOPMENT CORPORATION · 320 WASHINGTON STREET · BROOKLINE · MA 02146 · 617 232-3130

November 28, 1984

Ms. Polly Guggenheim
Tapas
2067 Massachusetts Avenue
Cambridge, MA 02140

Dear Polly:

Please be advised that we are approving this lighting fixture work provided that they be installed in the same manner and of the same materials as the lights installed by Healthstop.

Very truly yours,

H J DAVIS DEVELOPMENT

Jonathan G. Davis

JGD:A
Enclosure



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of 2067 Massachusetts Avenue, Cambridge, Massachusetts,
I do hereby declare my disapproval _____ approval ✓ of the installment of:

Canopy over the sidewalk entrance: _____

Awnings over the windows: _____

Projecting sign: light fixture

of said property

Signed: [Signature] Date: November 28, 1984

Address: 320 Washington Street, Brookline, MA 02146

Reply is requested within seven (7) days of date of this letter.



CITY OF CAMBRIDGE
INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of THE BANK OF GREECE, Cambridge, Massachusetts,
I do hereby declare my disapproval approval of the installment of:

Canopy over the sidewalk entrance: _____

Awnings over the windows: _____

Projecting sign: with lights

of said property

Signed: _____

Date: 10/30/84

Address: 2067 MASS. AVE. CAMBRIDGE, MA 02140

Reply is requested within seven (7) days of date of this letter.



CITY OF CAMBRIDGE

INSPECTIONAL SERVICES DEPARTMENT CITY HALL
CAMBRIDGE, MASSACHUSETTS 02139 (617) 498-9013

JOSEPH J. CELLUCCI
COMMISSIONER OF BUILDINGS
AND HOUSING

To Whom It May Concern:

As owner or agent of CHARLES ASSOCIATES, Cambridge, Massachusetts,
I do hereby declare my disapproval _____ approval X of the installment of:

Canopy over the sidewalk entrance: _____

Awnings over the windows: _____

Projecting sign: WITH LIGHTS . _____

of said property.

Signed: Daniel P. P. Charles Associates Date: 10/26/84

Address: 2067 Mass Ave Cambridge

Reply is requested within seven (7) days of date of this letter.

RECEIVED BY
OFFICE OF CITY CLERK

Cambridge, DEC 10 1984

To the Honorable the City Council of the City of Cambridge:

PRIOR TO APPROVAL OF THE CITY COUNCIL, EACH PETITION MUST BE ACCOMPANIED BY A DRAWING OF PROPOSED SIGN, INDICATING DESIGN AND DIMENSIONS AND LOCATION ON PREMISES.

The undersigned respectfully prays that TAPAS RESTAURANT be granted permit to erect a sign of the following specifications in front of premises AT 2067 MASSACHUSETTS AVENUE, CAMBRIDGE, MASS. 02140

Type: ZALUMINUM SIGNS WITH ELECTRIC LIGHT FIXTURE
(State whether Electric or otherwise and material used in construction)

Reading matter to go on sign: TAPAS RESTAURANT

Size: SIGNS (2) 17' x 20" ea LIGHT FIXTURES (2) 18" ea

Weight: SIGNS (2) 6 lbs ea LIGHT FIXTURES (2) 20 lbs ea

How Erected: A: SIGN 1 1/4" LIGHT 1' B: SIGN 11' LIGHT 13'
(A: Give exact distance sign is to extend from building over sidewalk.)
(B: Also exact distance from bottom of sign to sidewalk.)

Height Above Grade: Bottom 11' Top 14'

Glen T. Redman MATSUURA
(Signature of Applicant) PRESIDENT
TAPAS INC
2067 MASS AVE CAMB, 02140
(Address)

NOTICE - REGULATIONS

SECTION 1412.0 STATE BUILDING CODE

PROJECTING SIGNS

1. A projecting sign shall be constructed wholly of incombustible materials.
2. All signs must meet requirements of Zoning Ordinances and Building Code.

APPROVED: M-JB
Building Inspector

12/10/84
Date

13.

4.

11-98

#4

Comm best

10/31/85

PETITION

of Tapas Restaurant

for two signs *with fluorescent light fixtures (two)*

No. 2067 Mass. Avenue

December 10, 19 84

12/10/84

*Referred to the
Community Development*

Dept for Report
In City Council, December 10, 19 84

Referred to the Committee on

Motion of E. Dockay

Attest:

City Clerk

*Second letter sent to Kathy Spiegelman
Community Development requesting report 1/30/85
(copy within)*

*Letter & copy of petition sent to
Kathy Spiegelman, Community
Development. 12/13/84 mch
(copy within)*