



City of Cambridge

ORIGINAL ORDER
12.

IN CITY COUNCIL

January 8, 1990

COUNCILLOR RUSSELL

ORDERED: That the Public Works Department make sure that the entrance to the Walkway to the Alewife Station, from the Clifton Street side be kept clear of ice and snow all the way to the "T" property line.



City of Cambridge

AMENDED ORDER
12.
IN CITY COUNCIL

January 8, 1990

COUNCILLOR RUSSELL

ORDERED: That the Public Works Department make sure that the entrance to the Walkway to the Alewife Station, from the Clifton Street side be kept clear of ice and snow all the way to the "T" property line; and be it further

ORDERED: That the City Manager be and hereby is requested to furnish a progress report on the ongoing discussion with "T" officials regarding the reopening of the door at said location.

In City Council January 8, 1990.

Adopted as amended by the affirmative vote of nine members.

Attest:- Joseph E. Connarton, City Clerk.

A true copy;

ATTEST:-

A handwritten signature in black ink, reading "Joseph E. Connarton". The signature is written in a cursive style with a large, stylized "J" and "C".

Joseph E. Connarton, City Clerk.



City of Cambridge

12.

IN CITY COUNCIL

January 8, 1990

COUNCILLOR RUSSELL

ORDERED: That the Public Works Department make sure that the entrance to the Walkway to the Alewife Station, from the Clifton Street side be kept clear of ice and snow all the way to the "T" property line.

Order # 12 F-5

Councillor Russell re: walkway to the
Alewife Station to be kept clear of ice
and snow.

In City Council,

January 8, 1990

*Order adapted as
amended by 9
members.*