



City of Cambridge

IN CITY COUNCIL

October 4, 1921.

Ordered:

~~Notice having been given and a public hearing held, as~~
~~provided by law, that the Cambridge Electric Light Company is~~
~~hereby authorized to erect and maintain poles and support wires~~
thereon for the transmission of electricity in the particular
locations stated in the streets hereinafter named, subject to
all existing and future ordinances of this City in relation to
the location of poles and wires in its streets and ways, and also
in reference to the granting of licenses and permits.

The height and dimensions of the poles on the various
streets shall be satisfactory to the City Electrician, and the
number of cross-arms, with the number of pins for wires on each
cross-arm, and the height of the same, shall be as approved by him.

The locations herein named are severally indicated upon
plan furnished by said company, dated August 12, 1921
numbered 21126 and filed with the City Clerk.

Poles shall be of hard pine, square at the surface of the
ground, and planed and chamfered or round chestnut poles, straight
smooth-shaven, free from all blemishes, and painted.

The following are the public ways or parts of ways along
which the poles above referred to may be erected and the number
of poles which may be erected thereon under this grant.

Change of location.

Chestnut St., pole #146/15 to be moved 3 feet toward Brookline St.
to a location 97 feet southeasterly from line of Brookline St.

OCT 4 1921

Adopted by the City Council vote

of 12 members.

Frederick H. Burke
City Clerk.

Executive Department

OCT - 6 1921

Approved

Mayor's Records, Vol. _____ Page _____

OCT 6 1921

Presented to the Mayor
for approval.

Fredrick H. Banks

City Clerk

THE CITY OF _____

City of Cambridge

In City Council October 4, 1921.

The

Committee on Wires and Lamps

to which was referred petition of the Cambridge Electric Light Company
for change of pole location on streets named below.

Reports

Recommending the adoption of the accompanying order granting petition as follows:

Chestnut St., pole #146/15 to be moved 3 feet toward Brookline St.,
to a location 97 feet southeasterly from the line of Brookline St.

As stated in order.

Francis H. Boudy
For the Committee.

89 ✓
REPORT

Committee on *Wires and Lamps*
recommending order granting
Cambridge Electric Light Co.
a change of location on
Chestnut St

A

Oct 4, 1921