



CITY OF CAMBRIDGE
DEPARTMENT OF PUBLIC WORKS
COUNCIL ORDER CORRESPONDENCE

RECEIVED
90 JUL -6 AM 9:08
OFFICE OF THE CITY MANAGER

TO: ROBERT HEALY, CITY MANAGER

FROM: WILLIAM SOMMERS, COMMISSIONER, DPW

DATE: 7/5/90

SUBJECT: COUNCIL ORDER #(S): 24

DATE: 6/25/90

COUNCILLOR: Vice Mayor Reeves

DESCRIPTION OF PROBLEM: Uneven road surface on Western Ave.

DEPARTMENT ANSWER: I have investigated this area twice in the last
few weeks. We have recently applied patches to uneven street cuts. In
addition, we have located a bad drainage situation which occurs along
Western Ave at the intersection with Montague. There is no catch basin
on that side of the street and we will have to review the best place
to tap into an existin sewer. If there are other problems on this stree
as indicated by the Council Order I would like to have a more specific
identification of them and we will be glad to see what we can do.

CC: CHRONOLOGICAL FILE
TICKLER FILE
COUNCIL ORDER FILE
DIVISION HEAD

3.



CITY OF CAMBRIDGE

CAMBRIDGE, MASSACHUSETTS 02139

TEL. 498-9011

FAX. 868-8159

EXECUTIVE DEPARTMENT

ROBERT W. HEALY

City Manager

RICHARD C. ROSSI

Deputy City Manager

July 30, 1990

To The Honorable, The City Council:

In reference to Awaiting Report Item No. 47, relative to uneven road surface on Western Avenue, please find attached a response from William Sommers, Commissioner of Public Works, for your information.

Very truly yours,

A handwritten signature in dark ink, appearing to read "Robert W. Healy", is written over a horizontal line.

Robert W. Healy
City Manager

RWH/mev
enclosure

Agenda # 3

727
Awaiting Report Item No. 47, regarding the
uneven road surface on Western Avenue.

In City Council,

July 30, 1990

*Referred back
to City manager.*