

Councillor Russell:

Ordered: That the City
Manager direct the
Inspectional Service
Dept to determine whether
all ~~standards~~ clean
air standards are being
observed at the Gas
Station at the corner of
Mass Avenue and
Alewfe Brook Parkway
due to the fact that
gasoline fumes are
seeping into houses W
and apartments nearby,
and report back ASAP



City of Cambridge

40.

IN CITY COUNCIL
October 1, 1990

COUNCILLOR RUSSELL

ORDERED: That the City Manager be and hereby is requested to direct the Inspectional Services Department to determine whether all clean air standards are being observed at the gas station at the corner of Massachusetts Avenue and Alewife Brook Parkway due to the fact that gasoline fumes are seeping into houses and apartments nearby; and be it further

ORDERED: That the City Manager be and hereby is requested to report back to this City Council his findings as soon as possible.

In City Council October 1, 1990.

Adopted by the affirmative vote of nine members.

Attest:- Joseph E. Connarton, City Clerk.

A true copy;

ATTEST:-

Joseph E. Connarton
City Clerk

Order # 40

F-539

Councillor Russell re: clean air standards
are being observed at the gas station
at Mass. Ave. and Alewife Brook Parkway.

In City Council,

October 1, 1990

ORDER ADOPTED