

Amberly - consent

22

~~whereas the Cambridge water supply~~

~~whereas the EPA did not cite lead problems in the Cambridge water system;~~

whereas ~~there may still be~~ Cambridge meets current EPA standards with regard to lead in its water supply;

whereas there may still be problems of lead in older ~~the~~ water service lines and within households with older plumbing ^{in Cambridge,}

Resolved

that the ~~State~~ City Manager be and hereby is requested to direct the Health and Water Departments to develop a brochure and other forms of communication with the public, ~~as~~ as has been done in

(OVER)

NORTH CAMBRIDGE CRIME TASK FORCE

Chairman

George McCray
2301 Massachusetts Avenue
Cambridge, MA 02140
Tel. 876-1430

Co-Chairmen

Lawrence Burke
Harry Johnson

AGENDA

- | | |
|------------------|---|
| 7:00 - 7:15 p.m. | A brief introduction of participants and supporters |
| 7:15 - 7:45 p.m. | Commissioner Perry Anderson |
| 7:45 - 8:15 p.m. | An analysis and update of crime statistics in North Cambridge including suggestions on:

(a) how to report crime activity;
(b) what to look for; and,
(c) what not to do. |
| 8:15 - 8:30 p.m. | A report from neighborhood crime watch activities and information on how to organize your own group and neighborhood walks. |
| 8:30 - 8:45 p.m. | Substance Abuse |
| 8:45 - 9:00 p.m. | Rap-up and discussion of next month's meeting place and agenda |

other communities, explaining what steps the city has taken and will take to contain this problem, and what steps the user can take to minimize lead intake further.



City of Cambridge

22.

IN CITY COUNCIL

May 24, 1993

COUNCILLOR DUEHAY
COUNCILLOR TOOMEY
COUNCILLOR WALSH

WHEREAS: Cambridge meets current EPA standards with regard to lead in its water supply;
and

WHEREAS: There may still be problems of lead in older water service lines and within households with older plumbing in Cambridge; now therefore be it

RESOLVED: That the City Manager be and hereby is requested to direct the Health and Water Departments to develop a brochure and other forms of communication with the public, as has been done in other communities, explaining what steps the city has taken and will take to contain this problem and what steps the user can take to minimize lead intake further.

In City Council May 24, 1993.

Adopted by the affirmative vote of nine members.

Attest:- D. Margaret Drury, City Clerk.

A true copy;

ATTEST:-

D. Margaret Drury
City Clerk



City of Cambridge

22.

IN CITY COUNCIL

May 24, 1993

COUNCILLOR DUEHAY

WHEREAS: Cambridge meets current EPA standards with regard to lead in its water supply;
and

WHEREAS: There may still be problems of lead in older water service lines and within households with older plumbing in Cambridge; now therefore be it

RESOLVED: That the City Manager be and hereby is requested to direct the Health and Water Departments to develop a brochure and other forms of communication with the public, as has been done in other communities, explaining what steps the city has taken and will take to contain this problem and what steps the user can take to minimize lead intake further.

Gooney, Walsh
Consent Order # 22 *CM-144*
Councillor ~~Duehay~~ RE: Developing
a brochure to explain how to minimize
lead intake.

In City Council,
May 24, 1993

Order adopted